



Złączka prosta PE/GZ

Średnica mm	Kod	Opakowanie (szt.)
20x1/2"	0201.0010	280/20
20x3/4"	0201.0020	280/20
25x1/2"	0201.0030	160/10
25x3/4"	0201.0040	140/10
25x1"	0201.0050	140/10
32x1/2"	0201.0270	100/10
32x3/4"	0201.0060	100/10
32x1"	0201.0070	100/10
32x5/4"	0201.0080	100/10
40x1"	0201.0090	60/5
40x5/4"	0201.0100	60/6
40x6/4"	0201.0110	50/5
50x5/4"	0201.0120	30/5
50x6/4"	0201.0130	30/5
50x2"	0201.0140	30/5
63x6/4"	0201.0150	25
63x2"	0201.0160	25
63x2 1/2"	0201.0170	25
75x2"	0201.0180	12
75x2 1/2"	0201.0190	12
90x2"	0201.0200	13
90x3"	0201.0220	14
90x4"	0201.0230	13
110x3"	0201.0240	8
110x4"	0201.0260	7



Złączka kolnierkowa PE

Średnica mm	Kod	Opakowanie (szt.)
63x2"	0204.0010	18
75x3"	0204.0030	8
90x3"	0204.0050	8
90x4"	0204.0060	4
110x4"	0204.0080	4



Zaślepka PE

Średnica mm	Kod	Opakowanie (szt.)
20	0207.0010	320/20
25	0207.0020	140/10
32	0207.0030	120/10
40	0207.0040	70/5
50	0207.0050	30/5
63	0207.0060	20
75	0207.0070	15
90	0207.0090	9
110	0207.0110	5



Złączka prosta rura-rura PE/PE

Średnica mm	Kod	Opakowanie (szt.)
20	0205.0010	160/20
25	0205.0020	80/10
32	0205.0030	60/10
40	0205.0040	40/5
50	0205.0050	30/5
63	0205.0060	10
75	0205.0070	9
90	0205.0080	8
110	0205.0100	6



Trójnik PE/GZ/PE

Średnica mm	Kod	Opakowanie (szt.)
20x1/2"	0215.0010	120/20
20x3/4"	0215.0020	120/20
25x1/2"	0215.0030	60/10
25x3/4"	0215.0040	60/10
25x1"	0215.0060	60/10
32x3/4"	0215.0070	50/10
32x1"	0215.0090	40/10
40x1"	0215.0100	40/5
40x5/4"	0215.0110	35/5
50x6/4"	0215.0120	10/
63x2"	0215.0130	12
75x2 1/2"	0215.0140	9
90x3"	0215.0160	6
110x4"	0215.0180	6



Złączka prosta PE/GW

Średnica mm	Kod	Opakowanie (szt.)
20x1/2"	0202.0010	200/20
20x3/4"	0202.0020	200/20
25x1/2"	0202.0030	140/10
25x3/4"	0202.0040	120/10
25x1"	0202.0050	120/10
32x1/2"	0202.0210	80/10
32x3/4"	0202.0060	80/10
32x1"	0202.0070	100/10
40x1"	0202.0080	60/5
40x5/4"	0202.0090	50/5
40x6/4"	0202.0100	50/5
50x6/4"	0202.0110	30/5
63x6/4"	0202.0120	15
63x2"	0202.0130	15
75x2"	0202.0140	12
75x2 1/2"	0202.0150	12
90x3"	0202.0170	14
110x3"	0202.0180	7
110x4"	0202.0200	7



Złączka redukcyjna rura-rura PE/PE

Średnica mm	Kod	Opakowanie (szt.)
25x20	0206.0010	120/10
32x25	0206.0020	80/10
40x25	0206.0170	50/5
40x32	0206.0030	45/5
50x40	0206.0050	25/5
63x32	0206.0060	40
63x40	0206.0070	15
63x50	0206.0080	10
75x63	0206.0090	9
90x63	0206.0100	12
90x75	0206.0110	12
110x75	0206.0120	6
110x90	0206.0140	5



Kolano naścienne PE/GW

Średnica mm	Kod	Opakowanie (szt.)
20x1/2"	0211.0010	120/20
25x3/4"	0211.0040	60/10



Kolano PE/GZ

Średnica mm	Kod	Opakowanie szt. karton/worek
20x1/2"	0209.0010	280/20
20x3/4"	0209.0020	280/20
25x1/2"	0209.0050	120/10
25x3/4"	0209.0060	120/10
25x1"	0209.0070	120/10
32x3/4"	0209.0090	90/10
32x1"	0209.0110	80/10
40x5/4"	0209.0120	45/5
50x6/4"	0209.0130	20/5
63x2"	0209.0150	20/5
75x2 1/2"	0209.0160	8
90x3"	0209.0180	10
90x4"	0209.0190	10
110x4"	0209.0210	6



Kolano PE/GW

Średnica mm	Kod	Opakowanie szt. karton/worek
20x1/2"	0210.0010	220/20
20x3/4"	0210.0030	200/20
25x1/2"	0210.0050	120/10
25x3/4"	0210.0060	120/10
25x1"	0210.0070	100/10
32x3/4"	0210.0100	90/10
32x1"	0210.0110	80/10
40x5/4"	0210.0120	40/5
50x6/4"	0210.0130	20/5
63x2"	0210.0140	20
75x2 1/2"	0210.0150	8
90x3"	0210.0170	10
110x3"	0210.0180	7
110x4"	0210.0200	5



Kolano PE/PE

Średnica mm	Kod	Opakowanie szt. karton/worek
20	0208.0010	160/20
25	0208.0020	70/10
32	0208.0030	50/10
40	0208.0040	40/5
50	0208.0050	15/5
63	0208.0060	12
75	0208.0070	6
90	0208.0090	8
110	0208.0110	6



Trójnik PE/GW/PE

Średnica mm	Kod	Opakowanie szt. karton/worek
20x1/2"	0216.0010	120/20
20x3/4"	0216.0030	100/20
25x1/2"	0216.0200	60/10
25x3/4"	0216.0040	60/10
25x1"	0216.0060	60/10
32x3/4"	0216.0070	60/10
32x1"	0216.0090	60/10
40x1"	0216.0100	40/5
40x5/4"	0216.0110	40/5
50x6/4"	0216.0120	12/5
63x2"	0216.0130	10
75x2 1/2"	0216.0140	8
90x3"	0216.0160	8
110x3"	0216.0170	10
110x4"	0216.0190	5



Trójnik PE/PE

Średnica mm	Kod	Opakowanie szt. karton/worek
20	0213.0010	100/20
25	0213.0020	40/10
32	0213.0030	50/10
40	0213.0040	30/5
50	0213.0050	10/5
63	0213.0060	8
75	0213.0070	6
90	0213.0090	8
110	0213.0110	4



Trójnik redukcyjny PE/PE

Średnica mm	Kod	Opakowanie szt. karton/worek
25x20x25	0214.0020	50/10
25x32x25	0214.0090	40/10
32x25x32	0214.0040	50/10
40x32x40	0214.0050	35/5
50x40x50	0214.0060	25/5
63x50x63	0214.0070	14
110x90x110	0214.0080	4



Zawór grzybkowy

Średnica mm	Kod	Opakowanie szt. karton/worek
20	0701.0010	60/10
25	0701.0020	40/10
32	0701.0030	50/10



Złączka prosta PE/GW z o-ringiem

Średnica mm	Kod	Opakowanie szt. karton/worek
25x1"	0203.0020	110/10
32x1"	0203.0040	80/10
40x1"	0203.0060	50/5



Obejma siodłowa z GW

Średnica mm	Kod	Opakowanie szt. karton/worek
20x1/2"	0218.0010	200
25x1/2"	0218.0020	150
25x3/4"	0218.0030	150
32x1/2"	0218.0040	150
32x3/4"	0218.0050	150
32x1"	0218.0060	150
40x1/2"	0218.0070	140
40x3/4"	0218.0080	140
40x1"	0218.0090	140
50x1/2"	0218.0100	100
50x3/4"	0218.0110	100
50x1"	0218.0120	100
50x5/4"	0218.0130	100
63x1/2"	0218.0140	100
63x3/4"	0218.0150	100
63x1"	0218.0160	100
63x5/4"	0218.0170	100
63x6/4"	0218.0180	100
75x1/2"	0218.0190	80
75x3/4"	0218.0200	80
75x1"	0218.0210	80
75x5/4"	0218.0220	80

Średnica mm	Kod	Opakowanie szt. karton/worek
75x6/4"	0218.0230	70
75x2"	0218.0240	70
90x3/4"	0218.0250	60
90x1"	0218.0260	60
90x5/4"	0218.0270	60
90x6/4"	0218.0280	60
90x2"	0218.0290	55
110x1/2"	0218.0300	40
110x3/4"	0218.0310	40
110x1"	0218.0320	40
110x5/4"	0218.0330	40
110x6/4"	0218.0340	40
110x2"	0218.0350	40
110x21/2"	0218.0360	35
125x3/4"	0218.0370	35
125x1"	0218.0380	35
125x5/4"	0218.0390	35
125x6/4"	0218.0400	35
125x2"	0218.0410	35
125x21/2"	0218.0420	35
140x5/4"	0218.0430	20
160x1"	0218.0440	18
160x2"	0218.0450	18



Obejma siodłowa z GW z pierścieniem wzmacniającym

Średnica mm	Kod	Opakowanie szt. karton/worek
63x1/2"	0219.0010	100
63x3/4"	0219.0020	100
63x1"	0219.0040	100
63x5/4"	0219.0030	100
75x1/2"	0219.0050	80
75x3/4"	0219.0060	80
75x1"	0219.0090	80
75x5/4"	0219.0070	80
75x6/4"	0219.0080	70
90x1/2"	0219.0100	60
90x1"	0219.0130	60
90x5/4"	0219.0110	60
90x6/4"	0219.0120	60
110x3/4"	0219.0140	40
110x1"	0219.0170	40
110x5/4"	0219.0150	40
110x6/4"	0219.0160	40
110x2"	0219.0180	40
125x3/4"	0219.0190	35
125x1"	0219.0220	35
125x5/4"	0219.0200	35
125x6/4"	0219.0210	35
125x2"	0219.0230	35
140x1"	0219.0260	20
140x5/4"	0219.0240	20
140x6/4"	0219.0250	20
140x2"	0219.0270	20
140x3"	0219.0280	15
160x1"	0219.0310	18

Maksymalne ciśnienie robocze

Złączki 20-75mm	16 bar
Złączki 90-110 mm	10 bar (z wyjątkiem GW 4" – 6 bar)
Obejmy siodłowe bez pierścienia 20-63 mm	10 bar
Obejmy siodłowe bez pierścienia 75-160 mm	6 bar
Obejmy siodłowe z pierścieniem 63 mm	12,5 bar
Obejmy siodłowe z pierścieniem 75-160 mm	10 bar